

GUND (Geoid Undulation) =
The height of the Geoid (MSL) above the
Reference Ellipsoid (WGS 84) at the stated position.

BEARINGS ARE MAGNETIC
ELEVATIONS AND HEIGHTS ARE IN FEET

ELEVATIONS IN FEET AMSL
HEIGHTS IN FEET ABOVE AD

390
(40)

50

0

100

150m

100

0

100

200

300

400

500ft

VAR 1.5°W - 2022

N

Annual Rate
of Change 0.22°E

Rwy 25 Thr Elev 329
555832.74N 0035809.02W
(GUND Elevation 176)

Rwy 07 Thr Elev 348
555824.79N 0035854.09W
(GUND Elevation 176)

STAND	COORDINATES
1	555830.78N 0035810.94W
2	555830.39N 0035810.75W

COM	A/G	120.605	CUMBERNAULD RADIO
LIGHTING			
APCH 25	HI Basic 'T' bar.		
THR	LI Green W bar.		
RWY	LI White edge. End lights red.		
TWY	Blue reflective taxiway edge markers.		

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	BEARING STRENGTH
RWY 07/25	Asphalt	14/F/C/Y/T
APRON A	Asphalt	-
APRON B	Concrete	-
APRON C	Asphalt	-
TWYS A/B/C	Asphalt	-

CHANGE (8/23): AD ELEV, GUND, RWY DIMENSION, BUILDINGS.

AERO INFO DATE 26 MAY 23

AD 2-EGPG-2-1