

# Instrument Approach Procedure Coding Tables

## Yeovil RNP RWY 27 - Instrument Approach Procedure via IPRES

Designator	Sequence Number	Path Terminator	Waypoint Name	Fly-over	Course/Track °M (°T)	Turn Direction	Level Constraint	Speed Constraint	Co-ordinates	Remarks and Distance to MAPt
R27R	001	IF	IPRES	-	182° (181.85°)	-	<u>3000</u>	180	505904.64N 0022344.15W	IAF
R27R	002	TF	HG27I	-	272° (271.85°)	RIGHT	<u>2300</u>	180	505605.05N 0022353.36W	IF 9.6NM
R27R	003	TF	HG27F	-	272° (271.85°)	-	2000	130	505612.81N 0023013.31W	FAF 5.6NM
R27R	004	TF	RW27	Y	272° (271.85°)	-	-	130	505623.64N 0023905.28W	MAPt
R27R	005	TF	HGM01	-	272° (271.85°)	-	-	130	505632.23N 0024608.03W	-
R27R	006	TF	HGM02	-	152° (151.87°)	LEFT	-	130	505305.32N 0024312.44W	-
R27R	007	TF	YVL	-	032° (031.85°)	LEFT	2000	140	505628.82N 0023951.93W	HOLD

## Yeovil RNP RWY 27 - Instrument Approach Procedure via BIPMI

Designator	Sequence Number	Path Terminator	Waypoint Name	Fly-over	Course/Track °M (°T)	Turn Direction	Level Constraint	Speed Constraint	Co-ordinates	Remarks and Distance to MAPt
R27C	001	IF	BIPMI	-	272° (271.85°)	-	<u>2300</u>	180	505559.25N 0021908.40W	IAF
R27C	002	TF	HG27I	-	272° (271.85°)	-	<u>2300</u>	180	505605.05N 0022353.36W	IF 9.6NM
R27C	003	TF	HG27F	-	272° (271.85°)	-	2000	130	505612.81N 0023013.31W	FAF 5.6NM
R27C	004	TF	RW27	Y	272° (271.85°)	-	-	130	505623.64N 0023905.28W	MAPt
R27C	005	TF	HGM01	-	272° (271.85°)	-	-	130	505632.23N 0024608.03W	-
R27C	006	TF	HGM02	-	152° (151.87°)	LEFT	-	130	505305.32N 0024312.44W	-
R27C	007	TF	YVL	-	032° (031.85°)	LEFT	2000	140	505628.82N 0023951.93W	HOLD

## Yeovil RNP RWY 27 - Instrument Approach Procedure via OSBIR

Designator	Sequence Number	Path Terminator	Waypoint Name	Fly-over	Course/Track °M (°T)	Turn Direction	Level Constraint	Speed Constraint	Co-ordinates	Remarks and Distance to MAPt
R27L	001	IF	OSBIR	-	002° (001.85°)	-	<u>2600</u>	180	505305.47N 0022402.56W	IAF
R27L	002	TF	HG27I	-	272° (271.85°)	LEFT	<u>2300</u>	180	505605.05N 0022353.36W	IF 9.6NM
R27L	003	TF	HG27F	-	272° (271.85°)	-	2000	130	505612.81N 0023013.31W	FAF 5.6NM
R27L	004	TF	RW27	Y	272° (271.85°)	-	-	130	505623.64N 0023905.28W	MAPt
R27L	005	TF	HGM01	-	272° (271.85°)	-	-	130	505632.23N 0024608.03W	-
R27L	006	TF	HGM02	-	152° (151.87°)	LEFT	-	130	505305.32N 0024312.44W	-
R27L	007	TF	YVL	-	032° (031.85°)	LEFT	2000	140	505628.82N 0023951.93W	HOLD