

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
RWY / TWY / APRON	SURFACE	BEARING STRENGTH
RWY 05/23	Asphalt	70F/C/W/T
Main Apron	Concrete	47R/D/W/T
Eastern Apron	Concrete	6R/D/W/T
Western GA/Apron	Asphalt	13F/D/X/T
TWY A	Concrete/Asphalt	30F/C/X/T
TWY B	Concrete/Asphalt	37F/D/X/T
TWY C, D	Concrete/Asphalt	30F/D/X/T

GUND (Geoid Undulation) =
The height of the Geoid (MSL) above the
Reference Ellipsoid (WGS 84) at the stated position.

BEARINGS ARE MAGNETIC
ELEVATIONS AND HEIGHTS ARE IN FEET

VAR 0.3°W - 2022
N
Annual Rate
of Change 0.21°E

Hot Spot
HS1
CAUTION on using A1,
ensure both a positive
ATC clearance and the
stop bars are lowered
before entering the
runway.



COM	TWR	TEESSIDE TOWER
ATIS	119.805	TEESSIDE INFORMATION
OTHER	132.380	TEESSIDE FIRE
LIGHTING		
THR 05/23	Green.	
RWY 05/23	HI elev bi-d white with LI omni-d component. HI coded C/L. End lights red.	
TWY	Green C/L. Guard lights at all runway hold entrances.	

